

01-02-01

A

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

## Patent Application Transmittal

JC951 U.S. PTO  
12/28/00JC929 U.S. PTO  
09/751125  
12/28/00

Assistant Commissioner for Patents  
Box Patent Application  
Washington, D.C. 20231  
Sir:

Transmitted herewith for filing is the Patent Application of:

Inventor: Cragun et al.

For: SQUEEZABLE REBROADCAST FILES

**ASSIGNEE NAME: INTERNATIONAL BUSINESS MACHINES CORPORATION**  
**ASSIGNEE RESIDENCE: ARMONK, NEW YORK**

Enclosed are:

- ☒ 24 Pages of Specification and 1 Abstract  
☒ 5 Sheets of Drawings  
☒ A Declaration and Power of Attorney  
☐ An Information Disclosure Statement and form PTO-1449  
☐ A certified copy of Japanese Application  
☒ An assignment of the invention to International Business Machines Corporation, Armonk, New York 10504

The filing fee has been calculated as follows:

For:	No. Filed	No. Extra
Basic Fee		
Total Claims	28 - 20 =	8
Indep. Claims	2 - 3 =	0
<input type="checkbox"/> Multiple Dependent Claim Presented		

Other Than Small Entity

Rate	Fee
	\$ 710.00
x \$18.00=	144.00
x \$80.00=	0.00
\$270.00	\$ 0.00
<b>TOTAL</b>	<b>854.00</b>

## EXPRESS MAIL CERTIFICATE

Express Mail Label No.: EK595507187US

Date: December 28, 2000

I hereby certify that I am depositing the enclosed or attached paper with the U.S. Postal Service "Express Mail Post Office to Addressee" service on the above date, addressed to the Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231.

*James R. Nock*  
James R. Nock

Patent Application Transmittal  
Attorney Docket No. ROC920000182US1


Deposit Account Authorization:

- ☒ Please charge Deposit Account No. 09-0465 in the amount of \$854.00. A duplicate copy of this sheet is enclosed.
- ☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account 09-0465. A duplicate copy of this sheet is enclosed.
- ☒ Any additional filing fees required under 37 C.F.R. §1.16.
- ☒ Any patent application processing fees under 37 C.F.R. §1.17.

Respectfully submitted,

Date: December 28, 2000

By



James R. Nock, Attorney  
Registration No. 42,937

IBM Corporation  
Intellectual Property Law, Dept. 917  
3605 Highway 52 North  
Rochester, MN 55901

(507) 253-4661 voice

(507) 253-2382 fax

## SQUEEZABLE REBROADCAST FILES

### Background Of The Invention

#### Field of The Invention

The invention relates to the field of broadcast programming, such  
5 as radio and video broadcasts, transmitted over the Internet, for example.

#### Background Information

The development of the EDVAC computer system of 1948 is often  
cited as the beginning of the computer era. Since that time, computer  
10 systems have evolved into extremely sophisticated devices, and computer  
systems may be found in many different settings. Computer systems  
typically include a combination of hardware (e.g., semiconductors, circuit  
boards, etc.) and software (e.g., computer programs). As advances in  
semiconductor processing and computer architecture push the  
15 performance of the computer hardware higher, more sophisticated  
computer software has evolved to take advantage of the higher  
performance of the hardware, resulting in computer systems today that  
are much more powerful than just a few years ago.

Computer systems typically include operating system software that  
20 control the basic function of the computer, and one or more software  
applications that run under the control of the operating system to perform  
desired tasks. For example, a typical IBM Personal Computer may run  
the OS/2 operating system, and under the control of the OS/2 operating  
system, a user may execute an application program, such as a word  
25 processor. As the capabilities of computer systems have increased, the  
software applications designed for high performance computer systems  
have become extremely powerful.

Other changes in technology have also profoundly affected how we  
use computers. For example, the widespread proliferation of computers  
30 prompted the development of computer networks that allow computers to  
communicate with each other. With the introduction of the personal

computer (PC), computing became accessible to large numbers of people. Networks for personal computers were developed to allow individual users to communicate with each other. In this manner, a large number of people within a company could communicate at the same time  
5 with a software application running on one computer system.

One significant computer network that has recently become very popular is the Internet. The Internet grew out of the modern proliferation of computers and networks, and has evolved into a sophisticated worldwide network of computer systems linked together by web pages  
10 that collectively make up the "world-wide web", or WWW. A user at an individual PC (i.e., workstation) that wishes to access the WWW typically does so using a software application known as a web browser. A web browser makes a connection via the WWW to other computers known as web servers, and receives information from the web servers that is  
15 displayed on the user's workstation. Information displayed to the user is typically organized into pages that are constructed using a specialized language called Hypertext Markup Language (HTML).

Besides images and text, other media are becoming available for downloading from and/or listening to/viewing on the Internet, such as  
20 music, video, and even live and recorded, rebroadcast, television and radio programs. Video as used here is meant to cover and include any and all computer generated visual image/display element sequences, that is, besides what is traditionally thought of as video, here the term should be read to include computer generated animation, algorithmically  
25 sequenced display elements, such as with Shockwave™ type files, applets, and the like.

However, as radio and video broadcasts become rebroadcast over the Internet, their length becomes a critical limiting factor. People will wish to hear a favorite program using their desktop computer or other Internet  
30 accessing device, but may only have time to hear, or would simply prefer to only hear, an abbreviated version.

Disadvantageously, currently rebroadcasting uses the same format as live shows, and most are not intended to be shortened when they are produced. When they are shortened, it is generally at the end. That is, abbreviated broadcasts are normally achieved by cutting off the end of the  
5 program.

In a news cast, for example, more important stories are put at the front and less important at the end, in case the listener/viewer changes the station. The hope is that the listener will stay as long as possible. In this case, the assumption is that if they lose the listener, they will have  
10 gotten in their early commercials. However, this is not optimal because a broadcaster also may want to put some relatively important things at the end to keep listeners/viewers tuned in through the whole program.

Professional broadcasters know how to "squeeze" a news program depending on circumstances. If they only have four minutes instead of  
15 five, because a live interview runs long, for example, they may drop out a less important story in the middle.

However, people want to determine on their own when they watch/listen to things, and what they watch/listen to, over the Internet. Also, more and more, Internet-access, telecommunication, information  
20 and entertainment are being integrated into one device. For live broadcast media, such as radio and television, so-called channel-surfing has become a prevalent activity, and on the Internet, so-called web-surfing is prevalent. In either case, if a listener/viewer gets bored with what they are tuned in to, they search for more interesting and/or  
25 informative material. Programming guides, advertising and Internet search engines, for example, aid a user in finding material of interest. However, a viewer of a news program, for example, may grow impatient waiting for the one story of interest to come on. The viewer may not have the time or patience to wait for the material of interest to appear, and this  
30 can be frustrating.

00322T "SFT460

If a person is watching a recorded program on video tape, they can use fast-forward to get to material they wish to view. However, they still have to go serially through the tape to get to the desired material. On the other hand, if using a compact disc (CD) on a CD player, or a digital video disk (DVD) on a DVD player, which are essentially a random access  
5 memory devices, the user can go to an index, select material of interest, and conveniently jump directly to the desired material, for example. A user may also be able to program the CD/DVD device to play the indexed material of interest and skip the other material.

10 Internet search engines give a user the ability to filter through the bountiful stored information accessible on the Internet to find only particular subject matter that the user is interested in because much of the information stored and accessible over the Internet is essentially accessible like a CD/DVD. That is, the Internet is in a way like a giant  
15 random access memory. The exceptions of course are things like live web-cams, cameras that allow a remote Internet user to view a scene essentially in real-time, where it cannot be predicted exactly what may come in to view, and live or real-time broadcast material which has not been preprogrammed or prerecorded. However, broadcast materials  
20 which have been prerecorded and stored digitally have the potential for convenient random access through indexing, programming selections, and the like.

It is apparent that it would be advantageous to be able to apply random access capabilities to broadcast materials accessible over the  
25 Internet. Therefore, to overcome the problems and limitations in the prior art, it would be advantageous to provide a broadcast that can be accessed in a way that fits the time and needs of the listener.

#### Summary Of The Invention

30 It is, therefore, a principal object of the invention to provide a method and apparatus for facilitating squeezable rebroadcast files.

It is another object of the invention to provide a method and apparatus that solves the above mentioned problems so that a broadcast can be provided which fits the needs and time of listener.

These and other objects of the present invention are accomplished  
5 by the method and apparatus disclosed herein.

According to an aspect of the invention, a rebroadcast program is encoded with a replay plan which prioritizes portions of the rebroadcast.

According to an aspect of the invention, when a preferred play time is provided at the start, the resulting program is clipped to meet that time,  
10 the clipping coming anywhere in the broadcast (beginning, middle or end).

According to another aspect of the invention, the watcher/listener gets a "balanced" program, no matter the amount of time they watch.

According to another aspect of the invention, the preferred play time can be provided by a specific user request, e.g., "I only have four  
15 minutes", or "I prefer the shortened version today."

According to another aspect of the invention, the preferred play time can be provided by the user profile, "I always prefer the shortened version", or automatically by another program, such as an automobile system which estimates there are so many minutes of drive time left  
20 based on time/speed/location, etc., a parental control system which dictates that a child only has so many minutes of viewing time left in their preassigned daily allocation, or a computer scheduling program which knows there is a meeting on your calendar in seven minutes.

According to another aspect of the invention, if no time is specified,  
25 the rebroadcast program has a default time to use, the default time being the full program as provided in a program file.

According to an aspect of the invention, commercials can also be given importance and be made to be shortened or dropped, or an alternative commercial substituted, depending on time limitations.

30 According to an aspect of the invention, rebroadcast occurs in at least two forms: on a feed from the remote server, e.g., a web server, or

on a feed locally through a virtual player server. In each case, the desired time is provided up front (either from the user, a user profile, or automatically by another program) and the server (remote or local) adjusts the time by following the replay plan.

5       According to an aspect of the invention, the user can adjust the time in the middle of the broadcast - specifying more time is available, or less time is available, and the output is dynamically adjusted to the replay plan with the new time parameters.

10       According to an aspect of the invention, the listener gets the most desirable information in an order which spreads out the better information over the life of the rebroadcast.

15       According to an aspect of the invention, functions of pause and replay can be selected (by the user ) to deduct time dynamically during the rebroadcast. Thus, if the user wants a 10 minute broadcast, and they rewind to hear an 800 number, or pause while they take a phone call, less important segments are dropped during the diversion, and the more important segments are given priority and still heard, yet the broadcast stays 10 minutes.

20       According to an aspect of the invention, provision is made for connecting replay timing to other events: for example, setting an automatic pause when phone calls come in; lengthening a rebroadcast on certain days, such as weekends; or shortening a rebroadcast based on the location of an automobile.

25       According to an aspect of the invention, provision is made for playing unlistened to material at a later time. For example, if the user paused during a 10 minute broadcast (or surfed to another channel) and 3 minutes of time were lost in the middle, an option would allow the user to unpause and listen to the entire program, thereby extending the total time to 13 minutes, or to keep the program time to 10 minutes by dropping  
30       three minutes of program, and then catch the lost 3 minutes another time when the listener has 3 minutes available.

008221-545460

According to an aspect of the invention, a list of  
unlistened/unviewed segments can be displayed.

According to an aspect of the invention, a rebroadcast packaging  
and playlist are provided.

5        According to another aspect of the invention, a radio/television  
player is provided which replays the broadcast and reacts to the need to  
pause/rewind, etc., and respecifies/resends the adjusted time to the  
server (remote or local).

10        According an aspect of the invention, the invention provides a  
number of advantages to rebroadcasters who will pick up additional  
customers they may otherwise miss. People want to determine  
themselves when they watch/listen to things and what they watch/listen to.  
Providing a broadcast that fits the time of the listener will get more  
listeners and more people to hear the advertisements. Advantageously,  
15        according to the invention, the broadcasters can arrange things so they  
keep the customer at the end of the rebroadcast.

According an aspect of the invention, the invention is equally  
applicable to digital radios and digital TV's, i.e., TIVO.

20        These and other aspects of the invention will become apparent  
from the detailed description set forth below.

#### Brief Description Of The Drawings

Fig. 1 illustrates a flow chart of a process according to an  
exemplary embodiment of the present invention.

25        Fig. 2 illustrates a system for implementing the process according  
to an exemplary embodiment of the invention.

Fig. 3 illustrates an exemplary segment record according to an  
exemplary embodiment of the invention.

30        Fig. 4 illustrates an exemplary program file having segment records  
and program data according to an exemplary embodiment of the  
invention.

Fig. 5 illustrates a flow chart of an exemplary process of program segment planning according to an exemplary embodiment of the invention.

Fig. 6 illustrates a flow chart of an exemplary process implementing a player according to an exemplary embodiment of the invention.

#### Detailed Description Of The Preferred Embodiment(s)

The invention will now be described in more detail by way of example with reference to the embodiment(s) shown in the accompanying figures. It should be kept in mind that the following described embodiment(s) is/are only presented by way of example and should not be construed as limiting the inventive concept to any particular physical configuration.

With reference to Figs. 1 and 2, according to an aspect of the invention, a rebroadcast program is encoded with a replay plan which prioritizes portions of the rebroadcast. A preferred play time is then specified. When a preferred play time is provided at the start, the resulting program is clipped to meet that time, the clipping coming anywhere in the broadcast (beginning, middle or end). Thus, the watcher/listener gets a "balanced" program, no matter the amount of time they watch.

The preferred play time can be provided by a specific user request, e.g., "I only have four minutes", or "I prefer the shortened version today." Alternatively, the preferred play time can be provided by the user profile, "I always prefer the shortened version", automatically by another program, such as an automobile system which estimates there are so many minutes of drive time left, based on time/speed/location, etc., a parental control system which dictates that a child only has so many minutes of viewing time left in their preassigned daily allocation, or a computer scheduling program which knows there is a meeting on your calendar in seven minutes.

If no time is specified, the rebroadcast program has a default time to use, the default time being the full program as provided in a program file.

For example, a five minute Paul Harvey rebroadcast news program  
5 is requested to play in four minutes. Two news items from the center are dropped from the broadcast. If the same program is requested to play for only two minutes, six news items and one of the two commercials are dropped from various parts of the rebroadcast unit to meet that goal.

Commercials can also be given importance and be made to be  
10 shortened or dropped, or an alternative commercial substituted, depending on time limitations.

Rebroadcast occurs in at least two forms: on a feed from the remote server, e.g., a web server, or on a feed locally through a virtual player server. In each case, the desired time is provided up front (either  
15 from the user, a user profile, or automatically by another program) and the server (remote or local) adjusts the time by following the replay plan.

The user can adjust the time in the middle of the broadcast - specifying more time is available, or less time is available, and the output is dynamically adjusted to the replay plan with the new time parameters.

Provision is made for defaults if no desired time is provided. For  
20 example, the default time may be defined as being the full program as provided in a program file.

In this way the listener gets the most desirable information in an order which spreads out the better information over the life of the  
25 rebroadcast.

Functions of pause and replay can be selected (by the user ) to deduct time dynamically during the rebroadcast. Thus, if the user wants a 10 minute broadcast, and they rewind to hear an 800 number, or pause while they take a phone call, less important segments are dropped during  
30 the diversion, and the more important segments are given priority and still heard, yet the broadcast stays 10 minutes.

Provision is made for connecting replay timing to other events: for example, setting automatic pause when phone calls come in; or lengthening a rebroadcast on certain days; shortening a rebroadcast based on location of an automobile.

5       Provision is made for playing unlistened to material at a later time. For example, if paused during the 10 minute broadcast (or surfed to another channel) and 3 minutes of time were lost in the middle, an option would allow the user to unpause and listen to the entire program, thereby extending the total time to 13 minutes, or to keep the program time to 10  
10       minutes by dropping three minutes of program, and then catch the lost 3 minutes another time when the listener has 3 minutes available.

A list of unlistened/unviewed segments can be displayed.

According to an aspect of the invention, a rebroadcast packaging and playlist are provided. According to another aspect of the invention, a  
15       radio/television player is provided which replays the broadcast and reacts to the need to pause/rewind, and resends the adjusted time to the server (remote or local).

The invention provides a number of advantages to rebroadcasters who will pick up additional customers they may otherwise miss. People  
20       want to determine themselves when they watch/listen to things and what they watch/listen to. Providing a broadcast that fits the time of the listener will get more listeners and more people to hear the advertisements.

Currently rebroadcasting uses the same format as live shows. Most are not intended to be shortened. When they are shortened, it is at  
25       the end. They put important things at the front and less important at the end, hoping that the listener will stay as long as possible. In these cases, the assumption is that if they lose the listener, they will have gotten in their early commercials. Advantageously, according to the invention, the  
30       broadcasters can arrange things so they keep the customer at the end of the rebroadcast.

The invention is equally applicable to digital radios and digital TV's, i.e., TIVO.

With reference to Fig. 1, an exemplary process according to the invention may include the following operations:

- 5           1) encode a rebroadcast program with a replay plan which prioritizes portions of the rebroadcast, assign a priority to commercials, commercials are made to be shortened or dropped, or an alternative commercial substituted, depending on time limitations, the broadcasters can arrange things so they keep the customer at the end of the rebroadcast, provide a rebroadcast packaging and playlist,
  - 10           rebroadcast occurs in two forms:
    - on a feed from the remote server, or
    - on a feed locally through a virtual player server,
- 15           2) provide a preferred play time at the start, the server (remote or local) adjusts the time by following the replay plan
  - a) select the preferred play time in response to a specific user request
  - b) select the preferred play time based on a user profile
  - 20           c) select the preferred play time automatically by another program
    - 1) an automobile system which estimates there are so many minutes of drive time left
    - 2) a parental control system which dictates that a
    - 25           child only has so many minutes of viewing time left in their daily allocation
    - 3) a computer which knows there is a meeting on your calendar in seven minutes
    - d) connect replay timing to other events
      - 1) set automatic pause when phone calls come in,
      - 30           2) lengthen a rebroadcast on certain days; or

3) shorten a rebroadcast based on location of an automobile

e) provide a radio/television player which has functions of pause and replay which can be selected by the user to deduct time

5 dynamically during the rebroadcast and which:

1) replays the broadcast

2) reacts to the need to pause/rewind

3) resends the adjusted time to server (remote or local)

10 4) plays unlistened to material at a later time

5) displays a list of unlistened/unviewed segments

f) use a default play time for the rebroadcast program if no time is specified, and

15 3) provide a broadcast that fits the time of the listener

a) clip the resulting program to meet the preferred play time

b) clip anywhere in the broadcast: beginning, middle or end

c) user can adjust the time in the middle of the broadcast,

the output is dynamically adjusted to the replay plan with the new time

20 parameters, by:

1) specifying more time is available, or

2) less time is available

With reference to Fig. 2, an exemplary system for implementing the  
25 process according to an exemplary embodiment of the invention is illustrated. A remote server is accessible over the Internet by a user computer. The server has an encoded rebroadcast program stored thereon. (A feed can also be provided locally by a virtual server.) The user computer preferably has at least processor, storage and a graphical  
30 user interface (GUI).

Fig. 3 illustrates an exemplary segment record according to an exemplary embodiment of the invention. As can be seen, an exemplary segment record includes a title, length, priority, location, status, and a next, previous and alternate segment indicator. An optional alternate segment is a segment that is not one of the segments of that particular program that would normally be played when there are no time constraints, but is an alternate segment that would be played instead of a segment of the particular program. In other words, an alternate segment is a different, usually shorter but could be longer, segment which will be played in place of a particular segment due to time or other constraints, for example. An alternate segment would not usually specify another segment as an alternate, and, in particular would not specify a referring segment as its alternate to avoid the possibility of getting into a loop situation.

The status can be planned, played, hidden, or forgotten. Planned indicates that the associated program segment is planned to be played, played indicates that the associated program segment has already been played, and hidden means that the associated program segment will not be played. Forgotten applies to an alternate segment and means that the associated segment has been played and the alternate segment should be hidden permanently and never played, i.e., forgotten.

Fig. 4 illustrates an exemplary program file having segment records and program data according to an exemplary embodiment of the invention. The segment records have already been described above.

The program data is the digitized audio and/or video material. The program file may be obtained as needed from the server (remote or local). The segment record(s) may be obtained first and then the program data as needed.

Fig. 5 illustrates a flow chart of an exemplary process of program segment planning according to an exemplary embodiment of the invention. The process begins at 501. In block 502, all hidden segment

status is reset to planned, and all alternate segments (if they exist) are set to hidden. In block 503, the total plan is set to the sum of all planned segment lengths. The total plan thus means the entire program time if all the segments were played. At decision block 504, a loop from lowest to  
5 highest priority is started. If the loop has reached the highest priority and there are no more planned segments left, the process is done and flow returns at block 505, otherwise, flow proceeds to decision block 506.

In decision block 506, a loop for each planned segment is begun, until there are no more which would take flow to 504. Decision block 507  
10 checks if the total plan time is less than or equal to the time available, that is, the time specified by the user, the user profile, another program, etc., as described above. If the total plan time is less than the time available (T), then flow proceeds to 508 and the flow returns. Otherwise, flow proceeds to decision block 509 where the current segment priority is  
15 tested to see if it is less than or equal to a current filter priority, and if it is (T), flow proceeds to block 510, where the segment status is set to hidden and alternate segment status (if existent) is set to planned, otherwise flow loops back to 506.

After block 510, flow proceeds to block 511 where the total plan is  
20 decreased by the current, now hidden, segment length, or, in the case of an alternate segment, the total plan is increased by the alternate segment length. Then flow proceeds to loop back to 506. The above process thus configures a program according to the time specified by a user and taking into consideration the assigned priority of each program segment. It  
25 should be noted that alternate segments are optional thus, in blocks 502, 510, 603, 622, the alternate segment status is set only IF the alternate segment exists.)

Fig. 6 illustrates a flow chart of an exemplary process implementing a player according to an exemplary embodiment of the invention. The  
30 process begins at 601. In block 602, the mode is set to play, indicating the beginning of the playing process. In block 603, all segments status is

set to planned, and alternate segments status is set to hidden. In block 604, a timer is started. In block 605, the time available, which may take into account the elapsed time of the timer from block 604, is retrieved in any of the ways provided, e.g., user input, other programmatic input, etc., and in block 606, if the mode is set to play, then flow proceeds to block 607 to plan which segments to play (the planning process was just described and is illustrated in Fig. 5). In block 608, the next planned segment is selected, and then flow proceeds to decision block 618 to check if there are any more segments.

However, if the mode is set to replay as determined in decision block 609, then flow proceeds to block 610 where the next segment that is planned or played is selected. Flow then proceeds to decision block 611 where it is tested whether the segment status is planned, and if planned (T) flow proceeds to block 612 where the mode is set to play, and flow proceeds to 618. If the result of 611 is that the segment status is not planned (F), flow proceeds to 618 without setting the mode to play.

If the mode is not play in 606, and not replay in 609, then the mode is checked to see if it is fast forward in block 613, in which case flow proceeds to block 614 to plan segments, and then to block 615 to select the next planned or played segment. Then flow proceeds to 618.

If the mode is not play (606), replay (609), or fast forward (613), the flow reaches decision block 616 to determine if the mode is fast reverse, and if so, flow proceeds to 617 to select the previous planned or played segment, and then to 618. Otherwise, flow proceeds to 618 from 616.

In decision block 618, it is determined whether there are any more segments, and if there are no more segments (T), flow proceeds to end 619. If there are more segments (F), then flow proceeds to 620 to play a segment according to the selected mode, i.e., play, replay, fast forward or fast reverse. During this play, the user may select to play, rewind, pause etc., or other programmatic features may control pausing, e.g., in response to an incoming telephone call. When the playing is completed,

620 exits with a return mode indicating the direction in completion status. Then flow proceeds to decision block 621 where it is determined whether the return mode is either play or replay, and if so (T), flow proceeds to 622 to set the segment status to played, or in the case of an alternate  
5 segment to forgotten, and then proceeds to 623. Otherwise (F), flow proceeds directly to 623 where the mode is set to return mode, and flow proceeds back to block 605.

The invention may be embodied as a computer program product. A computer program product includes a recording medium, such as a  
10 floppy disk, a high-capacity read only memory in the form of an optically read compact disc or CD-ROM, a tape, a transmission type media, such as a digital or analog communications link, or a similar computer program product.

It will be apparent to one skilled in the art that the manner of  
15 making and using the claimed invention has been adequately disclosed in the above-written description of the preferred embodiment(s) taken together with the drawings.

It will be understood that the above described preferred  
embodiment(s) of the present invention are susceptible to various  
20 modifications, changes, and adaptations, and the same are intended to be comprehended within the meaning and range of equivalents of the appended claims.

Further, although a number of equivalent components may have been mentioned herein which could be used in place of the components  
25 illustrated and described with reference to the preferred embodiment(s), this is not meant to be an exhaustive treatment of all the possible equivalents, nor to limit the invention defined by the claims to any particular equivalent or combination thereof. A person skilled in the art would realize that there may be other equivalent components presently  
30 known, or to be developed, which could be used within the spirit and scope of the invention defined by the claims.

1           What is claimed is:

2

1           1.     A method of providing rebroadcast programming,  
2     comprising:

3           encoding a rebroadcast program;

4           specifying a preferred play time; and

5           providing a broadcast that fits the preferred play time.

6

1           2.     The method according to claim 1, wherein the encoding a  
2     rebroadcast program comprises encoding a rebroadcast program with a  
3     replay plan which prioritizes portions of the rebroadcast.

4

1           3.     The method according to claim 1, wherein the specifying a  
2     preferred play time comprises at least one of:

3           a) specifying the preferred play time in response to a specific user  
4     request;

5           b) specifying the preferred play time based on a user profile;

6           c) specifying the preferred play time automatically by another  
7     program;

8           d) connecting a replay timing to other events, wherein the other  
9     events include at least one of:

10                   1) set automatic pause when phone calls come in,

11                   2) lengthen a rebroadcast on certain days; or

12                   3) shorten a rebroadcast based on location of an  
13     automobile;

14           e) providing a radio/television player which has at least the  
15     functions of pause and replay which can be selected by the user to deduct  
16     time dynamically during the rebroadcast and which performs at least one  
17     of:

18                   1) replays the broadcast;

- 19 2) reacts to the need to pause/rewind;  
20 3) respecifies the adjusted time;  
21 4) plays unlistened to material at a later time; and  
22 5) displays a list of unlistened/unviewed segments;  
23 and  
24 f) using a default play time for the rebroadcast program if no time is  
25 otherwise specified.  
26

- 1 4. The method according to claim 3, wherein in the  
2 specifying the preferred play time automatically by another program, the  
3 other program comprises at least one of:  
4 1) an automobile system which estimates there are so many  
5 minutes of drive time left;  
6 2) a parental control system which dictates that a child only  
7 has so many minutes of viewing time left in their daily allocation;  
8 3) a computer which knows there is a meeting in so many  
9 minutes.  
10

- 1 5. The method according to claim 1, wherein the providing a  
2 broadcast that fits the preferred play time comprises at least one of:  
3 a) clipping the resulting program to meet the preferred play time  
4 wherein clipping can be done anywhere in the broadcast, at the  
5 beginning, the middle or the end; and  
6 b) adjusting by the user the time in the middle of the broadcast so  
7 that the output is dynamically adjusted to the replay plan with new time  
8 parameters, by at least one of:  
9 1) specifying more time is available, or  
10 2) specifying that less time is available.  
11

1           6.     A computer program product including a recording medium,  
2     the recording medium having program instructions stored thereon for  
3     implementing the method according to claim 1.

1           7.     A computer program product including a recording medium,  
2     the recording medium having program instructions stored thereon for  
3     implementing the method according to claim 2.

1           8.     A computer program product including a recording medium,  
2     the recording medium having program instructions stored thereon for  
3     implementing the method according to claim 3.

1           9.     A computer program product including a recording medium,  
2     the recording medium having program instructions stored thereon for  
3     implementing the method according to claim 4.

1           10.    A computer program product including a recording medium,  
2     the recording medium having program instructions stored thereon for  
3     implementing the method according to claim 5.

1           11.    A system for implementing a method according to claim 1,  
2     comprising:  
3         a remote server having an encoded rebroadcast program thereon,  
4     accessible over a communications network; and  
5         a user device for accessing the encoded rebroadcast program over  
6     the communications network.

1           12.    The system according to claim 11, wherein the  
2     communications network comprises the Internet.

1           13.    The system according to claim 11, wherein the user device  
2 comprises a personal computer.

1           14.    The method according to claim 1, wherein the rebroadcast  
2 program comprises audio.

1           15.    The method according to claim 14, wherein the rebroadcast  
2 program further comprises video.

1           16.    The method according to claim 1, wherein the rebroadcast  
2 program comprises a radio broadcast.

1           17.    The method according to claim 1, wherein the rebroadcast  
2 program comprises a television broadcast.

1           18.    The method according to claim 2, wherein the rebroadcast  
2 program comprises at least one of:

3           audio;  
4           video;  
5           a radio broadcast; and  
6           a television broadcast.

1           19.    The method according to claim 4, wherein the rebroadcast  
2 program comprises at least one of:

3           audio;  
4           video;  
5           a radio broadcast; and  
6           a television broadcast.

1           20.    The method according to claim 5, wherein the rebroadcast  
2 program comprises at least one of:

3 audio;  
4 video;  
5 a radio broadcast; and  
6 a television broadcast.  
7

1 21. The method according to claim 1, wherein the rebroadcast  
2 program has a segment record and program data;  
3 wherein the segment record comprises a plurality of fields including  
4 any of: a title field, a length field, a priority field, a location field, a status  
5 field, a next field, a previous field, and an alternate segment specifier field;  
6 wherein the status field specifies one of planned, played, hidden or  
7 forgotten; and  
8 wherein the providing a broadcast that fits the preferred play time  
9 comprises:  
10 setting a user mode to play;  
11 setting all segment status to planned and setting alternate segment  
12 status to hidden;  
13 starting a timer;  
14 until there are no more segments, getting the preferred play time  
15 value;  
16 detecting the user mode, the user mode being one of play, replay,  
17 fast forward or fast reverse;  
18 if the user mode is play, then:  
19 planning segments; and  
20 selecting a next planned segment;  
21 if the user mode is not play, and the user mode is replay, then:  
22 selecting a next planned or played segment;  
23 if the segment status is planned, then setting the mode to  
24 play;  
25 if the user mode is not play and not replay, and the user mode is  
26 fast forward, then:

27                   planning segments; and  
28                   select a next planned or played segment;  
29           if the user mode is not play, not replay, and not fast forward, and  
30 the user mode is fast reverse, then:  
31                   select a previous planned or played segment;  
32 if there are no more segments, then end;  
33 if there are more segments, then:  
34           play segment according to user mode;  
35           if a return mode is play or replay, then:  
36                   set segment status to played and alternate segment status  
37 to forgotten;  
38           set the mode to the return mode;  
39           return to getting the preferred play time value until there are no  
40 more segments;  
41           if there are no more segments, then end.

1           22. The method according to claim 21, wherein the planning  
2 segments comprises:  
3                   setting all segments having a hidden status to planned  
4 status;  
5                   setting all alternate segments status to hidden;  
6                   setting a total plan variable to the sum of all planned  
7 segment lengths;  
8                   beginning with a lowest priority segment, for each planned  
9 segment, if the total planned time is not less than or equal to a time  
10 available variable, and if a segment priority is less than or equal to a  
11 current filter priority, then:  
12                   set segment status to hidden, and set alternate  
13 segment status to planned; and  
14                   decrease total plan by segment length and increase  
15 total plan by alternate segment length.

1        23.     The method according to claim 1, wherein the encoding a  
2 rebroadcast program comprises:  
3        encoding a rebroadcast program with a replay plan which prioritizes  
4 portions of the rebroadcast including assigning a priority to commercials  
5 which have been made to be shortened, dropped, or an alternative  
6 commercial substituted, depending on time limitations.

24. wherein the encoding a rebroadcast program comprises:  
encoding a rebroadcast program with a replay plan which prioritizes  
portions of the rebroadcast; and  
providing a rebroadcast packaging and playlist.

1           25.    The method according to claim 1, wherein the rebroadcast  
2   program is divided into segments;

3 wherein the providing a broadcast that fits the preferred play time  
4 comprises substituting an alternate program segment for a program  
5 segment of the rebroadcast program;

6 wherein an alternate segment is a segment that is not normally  
7 played when there are no time constraints, but can be played instead of  
8 an associated segment of a particular rebroadcast program.

1           26.    The method according to claim 5, further comprising playing  
2   unlistened to material at a later time upon selection by a user.

1            27.    The method according to claim 26, further comprising  
2    displaying a list of unlistened/unviewed material which can be selected by  
3    a user.

1           28.    The method according to claim 1, wherein the rebroadcast  
2   program has a segment record and program data; and

3 wherein the segment record comprises a plurality of fields  
4 including: a title field, a length field, a priority field, a location field, a status  
5 field, a next field, a previous field, and an alternate segment specifier field.  
6

### Abstract

00927 05425 422600

A method of providing rebroadcast programming includes encoding a rebroadcast program, specifying a preferred play time, and providing a broadcast that fits the preferred play time. The encoding of the

5 rebroadcast program can use a replay plan which prioritizes portions of the rebroadcast. A priority can be assigned to commercials which have been made to be shortened or dropped, or an alternative commercial substituted, depending on time limitations. A rebroadcast packaging and playlist are provided. The specifying a preferred play time can be done by

10 one of the following ways: specifying the preferred play time in response to a specific user request; specifying the preferred play time based on a user profile; specifying the preferred play time automatically by another program; connecting a replay timing to other events, wherein the other events includes setting an automatic pause when phone calls come in,

15 lengthening a rebroadcast on certain days, and shortening a rebroadcast based on location of an automobile; providing a radio/television player which has functions of pause and replay which can be selected by the user to deduct time dynamically during the rebroadcast and which performs at least one of: replaying the broadcast; reacting to the need to

20 pause/rewind; respecifying the adjusted time; playing unlistened to material at a later time; and displaying a list of unlistened/unviewed segments. A default play time for the rebroadcast program is used if no time is otherwise specified.




FIG. 1




FIG. 2

## 2

TITLE
LENGTH
PRIORITY
LOCATION
STATUS: PLANNED/PLAYED/HIDDEN/FORGOTTEN
NEXT
PREVIOUS
ALTERNATE

FIG. 3

## 7

SEGMENT RECORD
...
...
PROGRAM DATA
...
...
...

FIG. 4




FIG. 5




FIG. 6

## DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

## SQUEEZABLE REBROADCAST FILES

the specification of which (check one)

X is attached hereto.

\_\_\_\_\_ was filed on \_\_\_\_\_ as  
Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_  
( if applicable )

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<b>Prior Foreign Application(s)</b>			<b>Priority Claimed</b>	
			<b>Yes</b>	<b>No</b>
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
(Number)	(Country )	(Day/Month/Year Filed)		

I hereby claim the benefit under Title 35, United States Code, §120 of any United States Application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)	(Filing Date)	(Status: Patented, Pending, Abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

(List name and registration number)

William J. McGinnis, Jr. - 25,698  
James R. Nock - 42,937  
Steven W. Roth - 34,712

John E. Hoel - 26,279  
Christopher A. Hughes - 26,914  
Edward A. Pennington - 32,588  
Joseph C. Redmond, Jr. - 18,753

Christopher H. Lynt - 33,619

Send Correspondence to:

Christopher H. Lynt  
7502 Toll Ct.  
Alexandria, VA 22306

Direct telephone Calls to: (703) 768-0956 [FAX: 703-721-3327]

Full name of sole or first Inventor: BRIAN JOHN CRAGUN

Inventor's signature: *Brian John Cragun* Date: 12/28/2000

Residence: 2613 24<sup>TH</sup> STREET NW, ROCHESTER, MINNESOTA (OLMSTED COUNTY) 55901

Citizenship: U.S.A.

Post Office Address: (SAME AS RESIDENCE ADDRESS)

Full name of second Inventor: PAUL REUBEN DAY

Inventor's signature: *Paul Reuben Day* Date: 12/28/2000

Residence: 1428 12<sup>TH</sup> AVENUE NE, ROCHESTER, MINNESOTA (OLMSTED COUNTY) 55906

Citizenship: USA

Post Office Address: (SAME AS RESIDENCE ADDRESS)

X This declaration ends with this page.

00322 " 321 52460